

Autumn - Block 2

Addition & Subtraction



Overview

Small Steps

- Fact families addition and subtraction bonds to 20
- Check calculations
- Compare number sentences
- Related facts
- Bonds to 100 (tens)
- Add and subtract 1s
- 10 more and 10 less
- Add and subtract 10s
- Add a 2-digit and 1-digit number crossing ten
- Subtract a 1-digit number from a 2-digit number crossing ten
- Add two 2-digit numbers not crossing ten add ones and add tens
- Add two 2-digit numbers crossing ten add ones and add tens
- Subtract a 2-digit number from a 2-digit number not crossing ten
- Subtract a 2-digit number from a 2-digit number crossing ten subtract ones and tens
- Bonds to 100 (tens and ones)
- Add three 1-digit numbers

NC Objectives

Recall and use addition and subtraction facts to 20 fluently, and derive and use related facts up to 100.

Add and subtract numbers using concrete objects, pictorial representations, and mentally, including: a two-digit number and ones; a two-digit number and tens; two two-digit numbers; adding three one-digit numbers.

Show that the addition of two numbers can be done in any order (commutative) and subtraction of one number from another cannot.

Solve problems with addition and subtraction: using concrete objects and pictorial representations, including those involving numbers, quantities and measures; applying their increasing knowledge of mental and written methods.

Recognise and use the inverse relationship between addition and subtraction and use this to check calculations and solve missing number problems.



Fact Families

Notes and Guidance

Children apply their understanding of known addition and subtraction facts within 20 to identify all related facts. This will include an understanding of the relationship between addition and subtraction, and knowing the purpose of the equals sign, as well as the addition and subtraction signs. Showing the link between representations, such as part-whole models and bar models can support and deepen the children's understanding.

Mathematical Talk


What if we took away the red flowers? What are the parts? What is the whole?


Does it change the answer if we add the blue and red flowers in a different order?

What does each circle represent on the part-whole model?


How many different number sentences are there in the fact family?

Varied Fluency





One relationship shown by this part-whole model is 15 + 5 = 20 Can you write all associated number sentences in the fact family?



Look at the bar model below.

Can you write all of the number sentences in the fact family?

17	
13	4



Fact Families

Reasoning and Problem Solving

Here is an incomplete bar model.

The total is greater than 10 but less than 20

What could the missing numbers be? How many different combinations can you find?

4

$$8 - 5 = 3$$

$$8 - 3 = 5$$

$$8 = 5 - 3$$

$$3 = 8 - 5$$

Rosie says,



I think that all of these facts are correct because the numbers are related

Ron disagrees.

Who is correct? Can you prove it?

7 and 11

8 and 12 9 and 13

10 and 14

11 and 15

12 and 16


13 and 17

14 and 18


15 and 19

Ron is correct because 8 is not equal to 5 - 3

Which of the representations are equivalent to the bar model?



There are 9 cars in a car park, 3 cars leave.



The number line, the part-whole model and 12 = 9 + 3



Check Calculations

Notes and Guidance

It is essential that children have the opportunity to discuss and share strategies for checking addition and subtraction calculations.

Checking calculations is not restricted to using the inverse. Teachers should discuss using concrete resources, number lines and estimating as part of a wide range of checking strategies.

Mathematical Talk

What resources could you use to check your calculation?

Can you check it in more than one way?

Why do we need to check our calculation?

Is there another way you could represent this?


Varied Fluency



$$12 - 4 = 8$$

 $7 + 8 = 15$








17	
12	5

How many possible inverse calculations are there?





Check Calculations

Reasoning and Problem Solving

Eva did the following calculation:

$$12 - 8 = 4$$

She checked it by using the inverse.

She did 12 + 8 = 20 and said that her first calculation was wrong.

What advice would you give her?

It should have been 8 + 4 = 12 or 4 + 8 = 12

Teddy is checking Dora's work but doesn't do an inverse calculation.



$$24 + 6 = 84$$

 $25 - 23 = 12$
 $18 - 3 = 21$

How might he know?

What errors have been made in each calculation?

All of the calculations involve errors:

6 has been added to the tens instead of the ones.

25 and 23 are very close in value and therefore can't result in such a large difference.

18 and 3 have been added instead of subtracted.



Compare Number Sentences

Notes and Guidance

Children should be encouraged to examine number sentences to find missing values using structure rather than calculation. Using numbers within 20 to explore mathematical relationships will give the children confidence and allow them to spot patterns because they are working within the context of familiar numbers.

Children should compare similar calculations using greater than, less than and equal to symbols.

Mathematical Talk

What other numbers make the same total?


Do we need to calculate the answer to work out the missing symbol?

Do you notice a pattern? What would come next?

Varied Fluency



How can we use the following representation to prove that 5 + 3 = 4 + 4?





Fill in the circles with either <, > or =

$$6+4$$
 $6+5$
 $6+4$ $3+6$
 $11-4$ $12-5$
 $11-4$ $12-4$



Complete the missing numbers.

$$5+3=6+$$


 $5+3=$ ____+6=7+____
 $+3=$ ___+4=5+5




Compare Number Sentences

Reasoning and Problem Solving

Rosie thinks she knows the missing number without calculating the answer.






Can you explain how this could be possible?

17 is two more than 15, so the missing number must be two more than 7

The missing number must be 9

Both missing numbers are less than 10



How many different possible answers can you find?

Lots of different combinations, the left number has to be smaller than the right.

Possible answers:

1 and 2

1 and 3

1 and 4

1 and 5

1 and 6

1 and 7

1 and 8

1 and 9

2 and 3

Etc.



Related Facts

Notes and Guidance

Children should have an understanding of calculations with similar digits. For example, 2 + 5 = 7, so 20 + 50 = 70This involves both addition and subtraction. It is important to highlight the correct vocabulary and helpchildren to notice what is the same and what is different between numbers and calculations.

'Tens' and 'ones' should be used to aidunderstanding. Using Base 10 can also help the children to see relationships.

Mathematical Talk

What is the same? What is different?

How does Base 10 help us to see the relationships between the different numbers and calculations?

What do you notice about the part-whole models?

Is there a relationship between the numbers that are represented?

Varied Fluency



I have 3 blue pens and 4 black pens. Altogether I have 7 pens. Tommy has 30 blue pens and 40 black pens. How many pens doeshe have in total?





Use concrete apparatus to show your thinking.





Complete the part-whole models below:







Find the missing numbers in the related facts.

$$5 + 4 = 9$$
 $8 = 3 + 5$

$$8 = 3 + 5$$

$$4 = 10 - 6$$

$$50 + 40 =$$
 $80 = 30 +$ $40 =$ -60

$$80 = 30 +$$

$$40 = \underline{\hspace{1cm}} - 60$$



Related Facts

Reasoning and Problem Solving

Continue the pattern.

$$90 = 100 - 10$$

$$80 = 100 - 20$$

$$70 = 100 - 30$$

What are the similarities and difference between this pattern and the following one?

$$9 = 10 - 1$$

$$8 = 10 - 2$$

$$7 = 10 - 3$$

60 = 100 - 40 50 = 100 - 30Etc.

The digits are the same but the place value changes.

Alex says,



If I know 9 + 1 = 10, I can work out 90 + 1 = 100

Find the missing number and explain how Alex knows.


10

All the numbers are ten times greater.

Whitney has 3 jam tarts.



Tommy has 6 jam tarts.



Altogether they have 9 jam tarts.

$$3 + 6 = 9$$

So ____ + ___ = 90

What if all of the red jam tarts are eaten?

What if all of the purple jam tarts are eaten?

$$30 + 60 = 90$$

If all of the red tarts are eaten then

$$1 + 2 = 3$$

$$10 + 20 = 30$$

If all of the purple tarts are eaten then

$$2 + 4 = 6$$

$$20 + 40 = 60$$



Bonds to 100 (Tens)

Notes and Guidance

Teachers should focus at this stage on multiples of 10 up to and within 100

Links should be made again between single digit bonds and tens bonds.

Using a 10 frame to represent 100 would be a useful resource to make this link.

Mathematical Talk

What does the word multiple mean?

What does the blue represent? What does the yellow represent?


Why is it different to a normal 10 frame?


What patterns can you see? How does this help us to make up our own?


Varied Fluency



Match the 10 frames to the sentences below:







One hundred equals eighty plus twenty

$$100 = 100 + 0$$

$$40 + 60 = 100$$



Fill in the missing numbers. Use Base 10 to represent the numbers..

$$2 + 6 = 8$$

$$20 + 60 =$$

$$80 = \underline{0} + 6\underline{1}$$



Continue the pattern

$$90 = 100 - 10$$

$$80 = 100 - 20$$

Can you make up a similar pattern starting with the numbers 60, 30 and 90?



Bonds to 100 (Tens)

Reasoning and Problem Solving

Eva thinks there are 10 different number bonds to 90 using multiples of 10 Amir thinks there are only 5

Who is correct?

Can you help the person who is wrong to understand their mistake?

Using multiples of 10, how many number bonds are there for the following numbers?

20 30 40 50

What do you notice about the amount of bonds for each number?


If 80 has 5 bonds, predict how many 90 would have.

Amir because
0 + 90 is the same
as 90 + 0
Eva has repeated her
answers – the
multiples have been
written the opposite
way around.

20 and 30 both have 2.

40 and 50 both have

When the tens digit is odd it has the same number of bonds as the previous tens number. 90 would also have 5




Squares are worth 10 Triangles are worth 20 Circles are worth 30

Can you complete the grid above so that all horizontal and vertical lines equal 60?

Can children create another pattern on an empty grid where each line equals 60?

How many possible ways are there to solve this?

Solution



Lots of possible solutions available.



Add and Subtract 1s

Notes and Guidance

Children should start seeing the pattern when we add and subtract 1 and comment upon what happens.

This is the step before finding ten more than or ten less than, as bridging beyond a 10 should not be attempted yet.

The pattern should be highlighted also by adding 2 (by adding another one) and then adding 3

Mathematical Talk

What happens when we add 2?

What is the link between adding 1 and adding 2?

What about if we want to add 3?

How can a bead string help when we are adding 1, 2, 3 etc.?

Where will be the best place to start on each number track? Why?

Varied Fluency



Create sentences based on the picture.



Example

There are 4 children playing in a park. One more child joins them so there will be 5 children playing together.



Continue the pattern

$$22 = 29 - 7$$


$$22 = 28 - 6$$


Can you create an addition pattern by adding in ones and starting at the number 13?




Continue the number tracks below.











Add and Subtract 1s

Reasoning and Problem Solving

True or False?

These four calculations have the same answer.

$$1+4+2$$
 $4+2+1$

$$4 + 2 + 1$$

$$2 + 4 + 1$$

$$2+4+1$$
 $4+1+2$

These four calculations have the same answer.

$$7 - 3 - 2$$


$$7 - 3 - 2$$
 $2 - 3 - 7$

$$3 - 2 - 7$$

$$3 - 2 - 7$$
 $7 - 2 - 3$

True, because they all equal 7 and addition is commutative.

False, because subtraction isn't commutative.



Jack lives 5 km from school. Annie lives 4 km from school in the same direction.

What is the distance between Jack and Annie's houses?

After travelling to and from school, Jack thinks that he will walk 1 km more than Annie. Is he correct? Explain your answer.

What will be the difference in distance walked after 2 school days?

1 km

No, he will walk 2 km further. 1 km on the way to school and 1 km on the way home.

4 km



10 More and 10 Less

Notes and Guidance

Teaching needs to focus on the importance of the tensdigit. Using a 100 square, explore with the children what happens to the numbers in the columns.

Draw attention to the idea that the tens digit changes while the ones digit remains the same.

Children will need to see how the number changes with concrete materials before moving onto more abstract ideas.

Mathematical Talk

What's the same? What's different?


Will you start with 35 or 55? Why?

When you look at a hundred square, what do you notice about the numbers that are ten more and ten less than 27?

Which direction will your finger move on a hundred square if you are finding ten more/ten less?

Varied Fluency

Continue the number tracks below.



	35	45	55			
--	----	----	----	--	--	--

Using a 100 square, circle the number that is 10 more than 27 Circle the number that is 10 less than 27 Repeat in different colours for different numbers.
What do you notice?

Using concrete materials, complete the missing boxes.

10 less	Number	10 more
2	12	22
	37	



from 29, then 9


©White Rose Maths


10 More and 10 Less

Is he correct?

Explain your reasoning.

Reasoning and Problem Solving





What numbers comes next and why?

nine and then stops.



Add and Subtract 10s

Notes and Guidance

Children should make use of place value to add and subtract 10s from a given number within 100. The key teaching point again is the importance of the tens digit within the given numbers, and children should be encouraged to see the relationship.

For example 64 + 20 = 84

Mathematical Talk

What is the number sentence that will help us to find the first missing number in the number track?

What is the same/different about the next number sentence?


Why is there a blank ones box?

Which column changes?

Which column stays thesame?

Varied Fluency





Use the place value charts and concrete materials to complete the calculations.

Tens	Ones


2	3
+ 4	0
-	

Tens	Ones



Add and Subtract 10s

Reasoning and Problem Solving



Tommy has three spare red beads.

What numbers could he make? Explain your answer.

Here are Class 2's crayons.







They are given a new box of 10 each day for a week.

How many crayons do they have at the end of the week?

23

33


43

He doesn't have to use all of the beads.

Discussion could be had about whether it's a full week or a school week.

Answers would be 96 or 76 respectively.

20



Circles represent 20 Triangles represent 10 Squares represent 50

What is the value of each row and column?

Rows

(top to bottom)

80

80

30

Columns

(left to right)

80

80

30



Add 2-digits and 1-digit

Notes and Guidance

Before crossing the 10 with addition, children need to have a strong understanding of place value. The idea that ten ones are the same as one ten is essential here. They need to be able to count to 20 and need to be able to partition two-digit numbers in order to add them. They need to understand the difference between one-digit and two-digit numbers and line them up in columns. In order to progress to using the number line more efficiently, children need to be secure in their number bonds.

Mathematical Talk


Using Base 10, can you partition your numbers?


Can we exchange 10 ones for one ten?

How many ones do we have? How many tens do we have?

Can you draw the Base 10 and show the addition pictorially?


Varied Fluency







Can you put the larger number in your head and count on the smaller number? Start at 17 and count on 5


Can we use number bonds to solve the additionmore efficiently?




Find the total of 20 and t







- Have we got 10 ones?
- Exchange 10 ones for 1 ten.
- How many ones do we have?
- How many tens do we have?



21



Add 2-digits and 1-digit

Reasoning and Problem Solving

Always, Sometimes, Never

I am thinking of a twodigit number, if I add ones to it, I will only need to change the ones digit.



Explain your answer.


Sometimes, because if your ones total 10 or more you will have to exchange them which will change the tens digit.

Here are three digit cards.



Place the digit cards in the number sentence.

How many different totals can you find?



What is the smallest total?

What is the largest total?

$$67 + 8 = 75$$

$$68 + 7 = 75$$

$$76 + 8 = 84$$

$$78 + 6 = 84$$

$$86 + 7 = 93$$

$$87 + 6 = 93$$

75 is the smallest total.

93 is the largest total.



Subtract 1-digit from 2-digits

Notes and Guidance

Just as with addition, children need to have a strong understanding of place value for subtraction. Children need to be able to count to 20 and need to be able to partition two-digit numbers in order to subtract from them. They need to understand the difference between one-digit and two-digit numbers and line them up in columns. In order to progress to using the number line more efficiently, children need to be secure in their number bonds.

Mathematical Talk


Are we counting backwards or forwards on the numberline?


Have we got enough ones to subtract?

Can we exchange a ten for tenones?

How can we show the takeaway? Can we cross out the cubes?


Varied Fluency







Can you put the larger number in your head and count back the smaller number? Start at 22 and count back 7


Can we use number bonds to subtract more efficiently?



We can partition 7 into 5 and 2 and use this to bridge the 10







- Do we have enough ones to take 8 ones away?
- Exchange one ten for ten ones.
- Take away 8 ones.
- Can you write this using the column method?

23



Subtract 1-digit from 2-digits

Reasoning and Problem Solving

Jack and Eva are solving the subtraction 23 - 9

Here are their methods:

I put 9 in my head and counted on to 23



I put 23 in my head and counted back 9

Who's method is the most efficient?

Can you explain why?

Can you think of another method to solve the subtraction.

Eva's method is most efficient because there are less steps to take. The numbers are quite far apart so Jack's method of finding the difference takes a long time and has more room for error.

Mo is counting back to solve 35 - 7

He counts

35, 34, 33, 32, 31, 30, 29

Is Mo correct?

Explain your answer.

Match the number sentences to the number bonds that make the method more efficient.

$$42 - 5$$

$$42 - 2 - 3$$

$$42 - 7$$

$$43 - 3 - 3$$

$$43 - 8$$


$$43 - 3 - 5$$

$$43 - 6$$

$$42 - 2 - 5$$

Mo is not correct as he has included 35 when counting back.

This is a common mistake and can be modelled on a number line.





Add 2-digit Numbers (1)

Notes and Guidance

This step is an important pre-requisite before children add two-digit numbers with an exchange.

Focus on the language of tens and ones and look at different methods to add the numbers including the column method.

It is important that teachers always show the children to start with the ones when adding using the column method.

Mathematical Talk

Can you partition the number into tens and ones?


Can you count the ones? Can you count the tens?


Can you show your addition by drawing the Base 10 to help?

How could you represent the problem?

Varied Fluency








$$6 \text{ tens} + 1 \text{ ten} =$$

tens +	ones =	

	Tens	Ones
+		



Mo has 41 sweets. Whitney has 55 sweets.

How many sweets do they have altogether?



Add 2-digit Numbers (1)

Reasoning and Problem Solving

Annie has 12 marbles.


Ron has 13 marbles more than Annie.


How many marbles do they have altogether?

Ron has 25 marbles.

Altogether they have 37 marbles.

Amir has been asked to complete the bar model.





Explain to Amir what he has done wrong. How could you help him work out the correct total?

Amir has found the digit totals and put the digits together to make 78

The correct answer is 69 and this could be shown by using Base 10 and a place value chart. What digits could go in the boxes?



Possible answers:

1 and 7

2 and 6

3 and 5

4 and 4

5 and 3

6 and 2

7 and 1

Ftc.

Interesting discussion could be had around is 1 and 7 different to 7 and 1?



64

Add 2-digit Numbers (2)

Notes and Guidance

Children use Base 10 and partitioning to add together 2-digit numbers including an exchange. They could be encouraged to draw the Base 10 alongside recording any formal column method.

They have already seen what happens when there are more than 10 ones and should be confident in exchanging 10 ones for one 10.

Mathematical Talk

Can you represent the ones and tens using Base 10?

What is the value of the digits?

How many ones do we have altogether?

How many tens do we have altogether?

Can we exchange ten ones for one ten?

What is the sum of the numbers?


What is the total?

How many have we got altogether?

Varied Fluency

$$64 + 17 =$$

4 ones
$$+$$
 7 ones $=$ _____



Find the sum of 35 and 26



- Partition both the numbers.
- Add together the ones. Have we got 10 ones?
- Exchange 10 ones for 1 ten.
- How many ones do we have?
- Add together the tens. How many dowe have altogether?



Class 3 has 37 pencils. Class 4 has 43 pencils.



How many pencils do they have altogether?



Add 2-digit Numbers (2)

Reasoning and Problem Solving

Can you create a calculation where
there will be an exchange in the ones
and your answer will have two ones and
be less than 100?

There are lots of possible solutions.

E.g.
$$33 + 29 = 62$$


How many different ways can you solve 19 + 11?

Explain your method to a partner.

Use concrete or pictorial resources to help explain your method.

Children might add the ones and then the tens.

Children should notice that 1 and 9 are a number bond to 10 which makes the calculation easier to complete mentally. Find all the possible pairs of numbers that can complete the addition.



How do you know you have found all the pairs?

What is the same about all the pairs of numbers?

$$13 + 29$$

$$19 + 23$$

$$14 + 28$$

$$18 + 24$$

$$15 + 27$$

$$17 + 25$$

$$16 + 26$$

All the pairs of ones add up to 12



Subtract with 2-digits (1)

Notes and Guidance

This step is an important step before children start to look at subtraction where they cross a tens boundary. Children need to use concrete materials but also draw images of the Base 10 so they can independently solve problems. Some children might think that they need to 'build' both numbers in the calculation, unpicking this misconception through modelling and discussion will help develop their understanding.

Mathematical Talk

Do we need to make both numbers in the subtraction before we take away?

Which number do we need to make? The larger number or the smaller?

What are the numbers worth? Tens or ones?

What happens if we have nothing left in a column? Which number do we write?

Varied Fluency



78 minus
$$34 = ____$$

8 ones - 4 ones =

7 tens - 3 tens =

We have _____ tens and ____ ones.

Tens	Ones






$$-10 -3$$

20

- Partition the number 34.
- Partition 13 and subtract the ones and the tens.
- Place the partitioned number back together.



Subtract 13 from 28





Subtract with 2-digits (1)

Reasoning and Problem Solving

Annie has 33 stickers.

Dexter has 54 stickers.

How many more stickers does Dexter have?

What method did you use to solve the problem?

Here the children are working out the difference.

Children might use subtraction to solve the problem or they might count on to find the difference.

Dexter has 21 more stickers than Annie.

Find the missing numbers.

Is this the only possible solution? Explain your answer.

Make the numbers using Base 10 to help you find your answer.

9 and 7

8 and 6

7 and 5

6 and 4

5 and 3

4 and 2

3 and 1

2 and 0



Subtract with 2-digits (2)

Notes and Guidance

Children use their knowledge that one ten is the same as ten ones to exchange when crossing a ten in subtraction.

Continue to use concrete manipulatives (such as Base 10) and pictorial representations (such as number lines and partwhole models) to develop the children's understanding.

The skill of flexible partitioning is useful here when the children are calculating with exchanges.

Mathematical Talk

Have we got enough ones to take away?

Can we exchange one ten for ten ones?

How many have we got left?

What is the difference between the numbers?

Do we always need to subtract the ones first? Why do we always subtract the ones first?

Which method is the most efficient to find the difference, subtraction or counting on?

Varied Fluency



Use the number line to subtract 12 from 51

51

Can you subtract the ones first and then thetens?
Can you partition the ones to count back to the next tenand then subtract thetens?



$$42 - 15 =$$




We can't subtract the ones. Can we partition differently?

Now we can subtract the ones and then subtract the tens. 42 - 15 = 27



Take 16 away from 34



$$\frac{\cancel{3}^{14}}{-16}$$



Subtract with 2-digits (2)

Reasoning and Problem Solving

Eva and Whitney are working out some subtractions.

I am working out 74 — 56 Whitney



Whitney's answer is double Eva's answer.

What could Eva's subtraction be?

Whitney's answer is 18

Eva's answer is 9

Eva's question could be 15 - 6 or 24 - 15

Find the greatest whole number that can complete each number sentence below.

26 + 15 < 60 -

Explain your answer.

18

13

32



Bonds to 100 (Tens and Ones)

Notes and Guidance

Here children build on their earlier work on number bonds to 100 with tens together with number bonds to 10 and 20

They use their new knowledge of exchange to find number bonds to 100 with tens and ones.

Using hundred squares, Base 10, bead strings etc. will help the children develop their understanding.

Mathematical Talk

How many more do we need to make 100?

How many tens are in 100?

If I have 35, do I need 7 tens and 5 ones to make 100? Explain why.

Can you make the number using Base 10?

Can you add more Base 10 to the number to make 100?

Varied Fluency





- 40 squares are shaded, how many are not shaded?
- 45 squares are shaded, how many are not shaded?
- 54 squares are shaded, how many are not shaded?



Tommy is making 100 with Base 10 How much more does he need if he has:



- 5 tens and 3 ones
- 37

Children could place their Base 10 on top of a 100 piece to help them calculate.

$$_{--}$$
 + 69 = 100

$$100 - 84 =$$

$$100 - \underline{} = 11$$



Bonds to 100 (Tens and Ones)

Reasoning and Problem Solving

Teddy has completed the missing number sentence.

$$46 + 64 = 100$$

Is Teddy correct? Explain your answer.

Each row and column adds up to 100.

Complete the grid.

45	45	
	35	
15		65

Teddy is incorrect.
He has seen
number bonds to
10 but forgotten
that he would
need to exchange
ten ones for one
ten.

45	45	10
40	35	25
15	20	65

46 + 64 = 110

Complete the pattern.

$$15 + 85 = 100$$
 $20 + 80 = 100$
 $25 + 75 = 100$
 $30 + \underline{\hspace{0.5cm}} = 100$
 $\underline{\hspace{0.5cm}} + \underline{\hspace{0.5cm}} = 100$

Can you explain the pattern?

35 + 65 = 100 The first numbers are going up in fives and the second numbers are going down in fives. All of the number sentences are number bonds to 100

30 + 70 = 100



Add Three 1-digit Numbers

Notes and Guidance

Children need to use their knowledge of commutativity to find the most efficient and quick way to add the three one-digit numbers.

They look for number bonds to 10 to help them add more efficiently.

Mathematical Talk

Can we change the order of the numbers to make the calculation easier?

Why are we allowed to change the order of the numbers?

Which two numbers did you add first? Why?

What if you added a different two numbers first, would your answer be the same?

Varied Fluency



Use ten frames and counters to add thenumbers 4 + 3 + 6



Can you add the numbers in a different way to find a number bond to 10?




4 + 6 = 10



10 + 3 = 13



Find the totals of each row and column.





Use <, > or = to compare the number sentences.

$$5+4+6 \bigcirc 6+5+4 \qquad 7+3+8 \bigcirc$$

$$7+3+8 \bigcirc 7+7+3$$

$$9+2+5 \bigcirc 8+3+5$$

$$9+2+5 \bigcirc 8+3+5 \qquad 8+4+2 \bigcirc 2+5+8$$



Add Three 1-digit Numbers

Reasoning and Problem Solving

Always, Sometimes, Never

$$odd + odd + odd = odd$$

Use one-digit numbers to test if this is true e.g.

$$3 + 5 + 7$$

Which numbers would you add together first in the following number sentences? Why would you add those first?

$$3 + 5 + 7 =$$

$$8 + 2 + 6 =$$

$$4 + 3 + 4 =$$

Is there always an easier order to add three one-digit numbers?

Always, children may recognise that two odds make an even so three odds make an odd.

3 and 7 first –
number bond to
10
8 and 2 first –
number bond to
10
4 and 4 first –
double a number.

No, e.g. 5 + 6 + 7

Take 3 consecutive one-digit numbers, e.g. 4, 5 and 6.

Add them together.

What do you notice?

Choose different groups of 3 consecutive one-digit numbers and see if there is a pattern.

$$1+2+3=6$$

 $2+3+4=9$
 $3+4+5=12$
 $4+5+6=15$
 $5+6+7=18$
 $6+7+8=21$
 $7+8+9=24$

If we order the groups, we can see that the totals go up by 3 each time. This is because we are adding one to each number each time so we are adding 3 extra altogether.